

BABASAHEB BHIMRAO AMBEDKAR UNIVERSITY

137

University Works Department

TENDER NOTICE

Letter no. 771

5/(372)/2017

Dated: 10/7/17

Sealed item rates tenders are invited from approved and eligible contractors of C.P.WD/U.P.PW.D./M.E.S./Railways/CPSUs/SPSUs for the following works:-

S. No	Name of work	Estimated cost In Rs.	Earnest money	Time for completion	Cost of Tender form In Rs.	Last date of receipt of application for tender	Time and date of opening of the tender
1.	Repairing/Maintenance of damaged aluminum door shutters of main entrance and damaged floor tiles at ground floor and second floor of gents and ladies toilets etc. of School Building of Environmental Science.	1,71,837.00	2.5%	02 Months	500.00 + 5% Vat	01-08-17	To be displayed on website of University

Tender forms can be purchased from the Account section of the University on any working day between 10.00 a.m. to 5.00 p.m. except Saturday, Sunday and any holidays.

Tenders will be accepted only by "Speed/Registered post" addressed to Assistant Registrar (S&P), Babasaheb Bhimrao Ambedkar University, Lucknow-226025 within stipulated time and date. Babasaheb Bhimrao Ambedkar University shall not be responsible for any postal delay etc. By hand tenders shall not be accepted, under any circumstances.

The Earnest Money Deposit (EMD) should be deposited along with the tender in the appropriate forms as given in the tender documents. This tender notice is also available on the website of the University (www.bbau.ac.in).

Finance Officer

Copy forwarded to the following for information and necessary action (*Internal circulation through E-mail only*).

1. S.O. V.C's Secretariat, BBAU, Lucknow.
2. Registrar, BBAU, Lucknow.
3. Dean, School of Environmental Science. BBAU, Lucknow.
4. S.O. (Finance), BBAU, Lucknow.
5. In-charge website for uploading, BBAU, Lucknow.
6. Assistant Registrar (S&P), BBAU, Lucknow, for doing the needful.
7. Assistant Engineer, BBAU, Lucknow, for providing the tender document for sale.


Finance Officer

B.O.Q

127

Name of work:- Repairing/Maintenance of damaged Aluminum door shutters of main entrance and damaged floor tiles at ground floor and second floor of Gents and Ladies toilets etc. of School Building of Environmental Science.

S. No	Item	Unit	Qty	Rate	Amount in
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead For thickness of tiles above 25 mm and up to 40 mm (DSR Code 15.23.2)	Sqm	38.20	43.95	1678.89
2	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below. (DSR Code 15.12.1)	Each	24.00	141.25	3390.00
3	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge. (DSR Code 15.57)	Sqm	4.30	21.85	93.96
4	Dismantling floor spring (M.R.)	Each	2.00	250.00	500.00
5	Repairing of damaged Existing Aluminium door shutter double Leaf and refixing complete (M.R.)	Job	1.00	2,000.00	2000.00
6	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness. (DSR Code 21.3.1)	Sqm	4.30	828.75	3563.63
7	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge. With stainless steel cover plate minimum 1.25 mm thickness. (DSR Code 21.4.1)	Each	2.00	2,039.00	4078.00
8	Providing and fixing factory made 30 mm thick door shutter made of solid PVC foam profile. The styles & rails shall be of size 75 mm x 30 mm having wall thickness 5 mm. The styles, top & bottom rails shall have one side wall thickness of 15 mm integrally extruded on the hinge side of the profile for better screw holding power. The styles and rails shall be reinforced with M.S. tubes of size 33 mm x 17 mm x 1 mm, painted with primer, all four corners of reinforcement to be welded or sealed. Solid PVC extruded bidding (push fit type) will be set inside the styles and the rails with a cavity, to receive single piece extruded 5 mm PVC sheet as panel. The styles and rails will be mitred cut and joint with the help of PVC solvent cement & self driven self tapping screws. Single piece extruded solid PVC lock rail of size 100 mm x 30 mm with wall thickness 5 mm & 15 mm integrally extruded in the middle of the lock rail & fixed with styles with the help of PVC solvent cement & self driven self tapping screws of size 100 mm x 8 mm complete as per manufacturer's specifications and direction of Engineer-in-charge. Non decorative finish. (DSR Code 9.124.1)	Sqm	25.20	2,691.55	67827.06

156

9	Providing and fixing aluminium sliding door bolts, ISI marked anodised anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 250x16 mm (DSR Code 9.96.2)	Each	16.00	189.00	3024.00
10	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :250x10 mm (DSR Code 9.97.2)	Each	32.00	95.25	3048.00
11	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm. (DSR Code 9.100.1)	Each	32.00	69.80	2233.60
12	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622. of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigments etc., complete. (DSR Code 11.40)	Sqm	38.20	1,009.60	38566.72
13	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :(DSR Code 11.26)	Sqm	1.20	1,141.40	1369.68
14	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (DSR Code 15.25)	Sqm	1.20	97.95	117.54
15	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete 40 mm dia (DSR Code 17.28.2.2)	Each	40.00	76.75	3070.00
16	Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour. Waste coupling 38 mm dia of 83 mm length and 77mm breadth, weighing not less than 60 gms. (DSR Code 17.69.2)	Each	36.00	144.15	5189.40
17	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour. 15 mm nominal bore with 45 cm length (DSR Code 18.74.2)	Each	52.00	74.70	3884.40
18	Providing and fixing PTMT bib cock of approved quality and colour. 15 mm nominal bore, 165 mm long, weighing not less than 110 gms (DSR Code 18.54.3)	Each	16.00	202.50	3240.00
19	Providing and fixing PTMT pillar cock of approved quality and colour. 15 mm nominal bore. 125 mm long foam flow, weighing not less than 120 gms. (DSR Code 18.56.2)	Each	24.00	298.40	7161.60
20	Providing and fixing PTMT 15 mm Urinal spreader size 95x69x100 mm with 1/2" BSP thread and shapes, weighing not less than 60 gms. (DSR Code 17.75)	Each	12.00	188.20	2258.40
21	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. 10 litre capacity - White. (DSR Code 17.18.1)	Each	16.00	865.05	13840.80
Total in Rs.					170,135.67
Add 01 % Labour Cess					1,701.36
Grand Total in Rs.					171837.03
Say					1,71,837.00

(Signature)
(V.K. Tripathi)
J.E.

(Signature) 02.03.17
R.C.Pandey
A.E.

(Signature)
(S.K. Goel)
E.E.